

11 APR 2005

(19) World Intellectual Property
Organization
International Bureau




(43) International Publication Date
29 April 2004 (29.04.2004)

PCT

(10) International Publication Number
WO 2004/036392 A2

- (51) International Patent Classification⁷: **G06F 1/00**
- (21) International Application Number:
PCT/EP2003/050728
- (22) International Filing Date: 16 October 2003 (16.10.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
02292559.8 16 October 2002 (16.10.2002) EP
- (71) Applicant (for all designated States except US): **THOMSON LICENSING S.A** [FR/FR]; 46 Quai Alphonse Le Gallo, F-92100 Boulogne Billancourt (FR).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **DURAND, Alain** [FR/FR]; 79, rue de Dinan, F-35000 Rennes (FR). **DIEHL, Eric** [FR/FR]; La Buzardière, F-35340 LIFFRE (FR). **ANDREAUX, Jean-Pierre** [FR/FR]; 20 rue de Langeril, F-35000 Rennes (FR).
- (74) Agent: **BERTHIER, Karine**; THOMSON, 46 Quai Alphonse Le Gallo, F-92648 Boulogne cedex (FR).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Declaration under Rule 4.17:**
— of inventorship (Rule 4.17(iv)) for US only
- Published:**
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SECURE EXPORTATION FROM A GLOBAL COPY PROTECTION SYSTEM TO A LOCAL COPY PROTECTION SYSTEM



(57) Abstract: The invention relates to a device (15) for preventing illegal exportation of a content protected by a global copy protection system to a local copy protection system. According to the invention, each content liable to be exported contains a unique identifier (CUI) and the device (15) comprises a table (CET) for storing unique identifiers of all contents that have already been exported through said device. The invention also relates to a method for recording a content received by such a device. This method comprises the steps consisting, if the copy is to be made for a local copy protection system, in checking whether the unique identifier (CUI) of said content is contained in the table (CET) of said device; and should said checking be positive, in preventing the recording; and should said checking be negative, in recording the content and storing said unique identifier (CUI) in said table.

WO 2004/036392 A2

**Secure exportation from a global copy protection system to a
local copy protection system**

Field of the invention

5 The invention relates generally to the copy protection problem. More particularly, the invention relates to a device and a method for preventing illegal exportation of a content from a global copy protection system to a local copy protection system.

10 **Background art**

Copy Protection has been a hot topic for the last few years. First Copy Protection Systems (CPS) that have been studied rely on link encryption (see for example the "DTCP" proposal disclosed in *"Digital Transmission Copy Protection Specification – Vol. 1 (Informational version) – Rev. 1.2 – July 11, 2001"* available at the following Internet address http://www.dtcp.com/data/info_dtcp_v1_12_20010711.pdf) or prerecorded / recordable media protection (see for example the "CPSA" proposal disclosed in *"Content Protection System Architecture, A Comprehensive Framework for Content Protection – rev 0.81 – February 17, 2000"* available at the following Internet address <http://www.4centity.com/data/tech/cpsa/cpsa081.pdf>). These systems will be called "local CPS" in the following of the description.

The focus of Copy Protection has recently moved to a global security of the content through the home network and a new category of systems, that will be called "global CPS" in the following, has been investigated by normalization bodies (such as "DVB-CPT" or "TV-Anytime" forum) and industry efforts (see for example the "SmartRight" proposal disclosed in *"SmartRight Technical white paper – version 1.0 – October 29, 2001"*).

Local CPS usually have four different usage rules:

- "copy-free" (one may copy the content without any limitations),
- "copy-never" (one may not copy the content),
- "copy-once" (one may copy only once the content),
- "copy-no-more" (one may not copy the content because it is the copy of a "copy-once" content or an already copied "copy-once" content).

35 However, because of implementation difficulties, the "copy-once" usage rule has often been replaced by "copy-one-generation" usage rule (one may copy only the original content), leading to a much wider possible use of the content than expected.

Global CPS replace the "copy-once" or "copy-one-generation" and "copy-no-more" usage rules with the "private-copy" usage rule. The "private-copy" usage rule allows to make as many copies as desired but the copy will be only usable within the home network wherein it has been created. That usage rule is easy to implement and in line with both users and content owners interests.

One problem encountered with these systems is due to the fact that global CPS coexist with local CPS. A user may want to export a "private-copy" content from a global CPS to a local CPS. For instance, a user may want to make a back-up copy from a "private-copy" content created in a global CPS on an optical disc (such as a DVD – acronym of "Digital Versatile Disc" – or a BRD – acronym of "Blu-Ray Disc") protected by a local CPS. The "private-copy" usage rule in the global CPS is logically changed to the "copy-no-more" usage rule in local CPS. But this is insufficient since as many "copy-no-more" copies as desired can be created from the "private-copy" content. This feature is clearly in contradiction to the copy-no-more usage rule.

It is therefore an object of the present invention to provide a method ensuring that a content protected by a global CPS and labeled "private-copy" cannot be exported (as a "copy-no-more" content") an unlimited number of times to a local CPS.

Summary of the invention

The main idea of the invention is to associate a Content Unique Identifier (CUI) to any content entering a home network protected by a global CPS. This CUI will be checked when the content will leave the global CPS for a local CPS.

More particularly, the invention relates to a device for preventing illegal exportation of a content protected by a global copy protection system to a local copy protection system, characterized in that each content liable to be exported contains a unique identifier and in that the device comprises an exportation table for storing unique identifiers of all contents that have already been exported through said device.

The invention also relates to a method for recording a content received by a device as above-mentioned, characterized in that it comprises the steps consisting, if the copy is to be made for a local copy protection system, in checking whether the unique identifier of said content is contained in the exportation table of said device; and

- should said checking be positive, in preventing the recording; and
- should said checking be negative, in recording the content and storing the unique identifier in the exportation table.

The invention further relates to a device adapted to be linked to a local network protected by a global copy protection system and to convert a content it receives into a content protected by the global copy protection system, characterized in that the device is furthermore adapted to generate a unique identifier for each content it converts, the unique identifier being inserted in a part of the content protected by encryption or by authentication

Thanks to the invention, it is possible to control the number of local CPS-protected copies created from a global CPS-protected content.

Brief description of the drawings

The various features and advantages of the present invention and its preferred embodiments will now be described with reference to the accompanying drawings which are intended to illustrate and not to limit the scope of the present invention and in which:

- Fig. 1 illustrates the environment of the invention and the principle of exportation of a content protected by a global CPS to a content protected by a local CPS; and

- Fig. 2 is a flowchart illustrating the behavior of a device carrying out the exportation process.

Description of the preferred embodiments

Fig. 1 illustrates the environment of the invention. It may be for example a digital home network 1 protected by a global CPS, this network comprising two Access Devices 12, 13 and two Recorder Devices 14, 15 linked together by a digital bus 16.

The principles of protection of the data by the global CPS in the home network are disclosed in documents FR-A-2 792 482 and FR-A-2 824 212.

Interactions between local and global CPS are ensured thanks to the following devices:

- the Access Devices that receive local CPS-protected contents from the outside of the network and convert them into global CPS-protected contents; and

- the Recorder Devices that create either global CPS-protected copies 10 or local CPS-protected copies 11.

We will now describe more particularly the Access Devices behavior
5 and the Recorder Devices behavior according to the principles of the invention.

1. Access Devices behavior

Each time an Access Device is required to convert a local CPS-protected content it receives from the outside of the network into a new global
10 CPS-protected content, it generates a Content Unique Identifier associated with this new content. It then inserts the CUI in the content, preferably in a part of the content protected by encryption or authentication.

The CUI may be "probably unique" (for example a large size random number generated by a pseudo-random generator) or "actually unique". In the
15 latter case, Access Devices should be given a unique Identifier at their installation in the network. This identifier will be the first part of the CUI. The second part will be a counter maintained by the Access Device. The CUI is preferably at least 80 bits long.

2. Recorder Devices behavior

20 This behavior is illustrated by the flowchart of Fig. 2.

A Recorder Device is capable of recording a content having a "private-copy" status and created in the network protected by the global CPS to create a local CPS-protected copy of this content.

25 According to the invention, each Recorder Device has a Content Exportation Table (CET) storing all the CUIs of local CPS-protected content that have already been created. This CET is preferably stored in a protected or secure memory of the Recorder Device. It can also be stored in an encrypted or authenticated form in a conventional non-secure memory of the Recorder
30 Device. In the latter case, only the encryption key or authentication key used to encrypt or authenticate the CET need to be stored in a secure memory, for example a memory included in a smart card.

As illustrated in Fig. 2, each time the recorder device is requested to create a new copy of a "private-copy" content (step 20), a test is carried out at
35 step 21 to check whether the copy remains protected by the global CPS or not. If the copy remains global CPS-protected (i.e. the copy is destined to be used in the home network 1 protected by the global CPS), then the recorder simply duplicates this content (step 22). Otherwise, if the new copy is a local CPS-

protected content (i.e. a copy to be used outside the network 1 in another system protected by a local CPS) then, the Recorder Device first extracts the CUI from the content and checks whether it is already in its CET or not (step 24). In order to extract the CUI from the content, the Recorder Device contains
5 the necessary encryption or authentication keys that have been used to insert the CUI in a protected part of the content or is able to recover them. If the extracted CUI is already in the CET of the Recorder Device, the content is blocked and the copy does not takes place (step 26). Else, the Recorder Device adds the CUI in the CET and creates the copy. The local CPS should treat the
10 copy as a "copy-no-more" or "copy-never" content.

It is also possible to allow the Recorder Device to make more than a single local CPS-protected copy of a given "private-copy" content. In this case, the CET will store with each CUI, a counter of the number of local CPS-protected copies made for this content, this counter being incremented each
15 time a local CPS-protected copy is made for this content. When the maximum number of allowed copies is reached for a given content, then the Recorder Device will not make any more local CPS-protected copy of this content.

According to a variant embodiment, only a limited number of
20 Recorder Devices is authorized to make copies protected by a local CPS in a home network such as network 1. Preferably, only one Recorder Device per network is authorized to make copies protected by a specific local CPS. These Recorder Devices are called exportation devices. In Fig. 1, Recorder Device 15 is an exportation device. The Recorder Devices that can create only global
25 CPS-protected copies are called storage units. Recorder Device 14 of Fig.1 is a storage unit. In this preferred embodiment, only the exportation devices have a CET for storing the CUI of contents already copied with a local CPS protection.

We suppose now that the global CPS is the SmartRight™ system
30 ("SmartRight" is a trademark of THOMSON) disclosed in the documents previously mentioned (FR-A-2 792 482 and FR-A-2 824 212) and in a further document WO-A-03 019899.

The Access Devices illustrated in Fig. 1 comprise converter cards (not illustrated in Fig. 1) which are in charge of creating messages called LECM
35 (acronym of "Local Entitlement Control Message"). The LECMs contain control words CW which are used to scramble the content entering the home network through an Access Device. These CW are contained in a part of the LECM

which is protected (preferably by encryption with a key or with keys specific to the network).

According to the present invention, the converter card randomly chooses the CUI during the LECM building step when a content is received in the network by an Access Device. The CUI is then placed in the protected part of the LECM.

Recorder Device 15 which is an exportation device comprises a terminal card (not illustrated). This terminal card is a smart card, i.e. a card with a secure microprocessor, containing the key(s) necessary to decrypt the protected part of the LECM and it furthermore contains, according to the invention, the CET for storing the CUI of the contents already copied by Recorder Device 15 with a local CPS protection.

When Recorder Device 15 receives a new content (having a "private-copy" status) to be exported (i.e. to be used to perform a local CPS-protected copy of this content), its terminal card first checks whether the CUI contained in the first LECM associated with this content is already in its CET or not. If yes, the terminal will output a message forbidding the copy. Else, it will add the CUI in the CET and then output a message authorizing the copy.

Preferably, the CET is not erased after a terminal card reinitialization.

CLAIMS

1. Device (15) for preventing illegal exportation of a content protected by a global copy protection system to a local copy protection system,
5 characterized in that each content liable to be exported contains a unique identifier (CUI) and in that the device (15) comprises an exportation table (CET) for storing unique identifiers of all contents that have already been exported through said device.

10 2. Device according to claim 1, characterized in that the unique identifier (CUI) is contained in a part of the content protected by encryption or authentication and in that the device further comprises means for extracting said unique identifier from the content.

15 3. Device according to any one of claims 1 or 2, characterized in that the exportation table (CET) is stored in a secure memory of the device.

20 4. Device according to any one of claims 1 or 2, characterized in that the exportation table (CET) is stored in an encrypted or authenticated form in a conventional memory of the device and in that the encryption key or authentication key used to encrypt or authenticate the CET is stored in a secure memory.

25 5. Device according to any one of the preceding claims intended to be used in a local network protected by a global copy protection system, characterized in that there are a limited number of such devices in the network.

30 6. Device according to claim 5, characterized in that there is only one such device in the network.

7. Device according to one of the preceding claims, characterized in that the exportation table (CET) stored in said device further contains, for each unique identifier (CUI), a counter of the number of exportations of the content associated with said unique identifier, this counter being incremented each time
35 an exportation is made through said device.

8. Method for recording a content received by a device according to any one of claims 1 to 6, characterized in that it comprises the steps consisting, if the copy is to be made for a local copy protection system, in:

checking whether the unique identifier (CUI) of said content is
5 contained in the exportation table (CET) of said device; and

- should said checking be positive, then preventing the recording;
and
- should said checking be negative, then recording the content and
storing said unique identifier (CUI) in said exportation table.

10

9. Method for recording a content received by a device according to claim 7, characterized in that it comprises the steps consisting, if the copy is to be made for a local copy protection system, in:

(a) checking whether the unique identifier (CUI) of said content is
15 contained in the exportation table (CET) of said device; and

- should said checking of step (a) be positive, then

(b) checking whether a predetermined maximum number of
authorized copies has been reached by the counter associated with the unique
identifier (CUI), and

20

- in case the maximum number of copies has been reached,
then preventing the recording; and
- in case the maximum number of copies has not been
reached, then incrementing the counter and recording the
content; and

25

- should said checking of step (a) be negative, then recording the
content and storing said unique identifier (CUI) in said exportation
table.

10. Device (12, 13) adapted to be linked to a local network protected
30 by a global copy protection system and to convert a content it receives into a
content protected by said global copy protection system, characterized in that
said device is furthermore adapted to generate a unique identifier (CUI) for each
content it converts, the unique identifier being inserted in a part of the content
protected by encryption or by authentication.

35





Fig. 1

2 / 2

Fig. 2

11 APR 2005

(19) World Intellectual Property
Organization
International Bureau




(43) International Publication Date
29 April 2004 (29.04.2004)

PCT

(10) International Publication Number
WO 2004/036392 A3

- (51) International Patent Classification⁷: **G06F 1/00**
- (21) International Application Number: **PCT/EP2003/050728**
- (22) International Filing Date: 16 October 2003 (16.10.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
02292559.8 16 October 2002 (16.10.2002) EP
- (71) Applicant (for all designated States except US): **THOMSON LICENSING S.A** [FR/FR]; 46 Quai Alphonse Le Gallo, F-92100 Boulogne Billancourt (FR).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **DURAND, Alain** [FR/FR]; 79, rue de Dinan, F-35000 Rennes (FR). **DIEHL, Eric** [FR/FR]; La Buzardière, F-35340 LIFFRE (FR). **ANDREAUX, Jean-Pierre** [FR/FR]; 20 rue de Lorgeril, F-35000 Rennes (FR).
- (54) Title: SECURE EXPORTATION FROM A GLOBAL COPY PROTECTION SYSTEM TO A LOCAL COPY PROTECTION SYSTEM
- (74) Agent: **BERTHIER, Karine**; THOMSON, 46 Quai Alphonse Le Gallo, F-92648 Boulogne cedex (FR).
- (81) Designated States (national): AE, AG, AI, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Declaration under Rule 4.17:
— of inventorship (Rule 4.17(iv)) for US only
- Published:
— with international search report

[Continued on next page]



(57) Abstract: The invention relates to a device (15) for preventing illegal exportation of a content protected by a global copy protection system to a local copy protection system. According to the invention, each content liable to be exported contains a unique identifier (CUI) and the device (15) comprises a table (CET) for storing unique identifiers of all contents that have already been exported through said device. The invention also relates to a method for recording a content received by such a device. This method comprises the steps consisting, if the copy is to be made for a local copy protection system, in checking whether the unique identifier (CUI) of said content is contained in the table (CET) of said device; and should said checking be positive, in preventing the recording; and should said checking be negative, in recording the content and storing said unique identifier (CUI) in said table.

WO 2004/036392 A3



— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(88) Date of publication of the international search report:
21 May 2004

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/50728

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F1/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, IBM-TDB

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>EP 1 096 388 A (SONY CORP) 2 May 2001 (2001-05-02) paragraphs '0024! - '0028! paragraph '0038! paragraph '0113! paragraph '0156! - paragraph '0159! paragraph '0189! - paragraph '0195! paragraph '0206!</p> <p style="text-align: center;">----- -/--</p>	1-10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

31 March 2004

Date of mailing of the international search report

13/04/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax. (+31-70) 340-3016

Authorized officer

Alecu, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 03/50728

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01/67668 A (HARADA SHUNJI ; HIROTA TERUTO (JP); INOUE SHINJI (JP); MATSUSHITA ELEC) 13 September 2001 (2001-09-13) page 2, line 3 - line 25 page 3, line 7 - line 26 page 5, line 22 - line 25 page 8, line 12 - line 23 page 12, line 4 - line 6 page 27, line 1 - line 5 page 28, line 24 - line 26 -----	1-10
X	EP 1 081 575 A (MATSUSHITA ELECTRIC IND CO LTD) 7 March 2001 (2001-03-07) paragraphs '0015!', '0024!', '0036!', '0038!', '0042!', '0043!', '0046!', '0052! -----	1-10
X	"SDMI SECURE DIGITAL MUSIC INITIATIVE" SDMI PORTABLE DEVICE SPECIFICATION VERSION 1.0, XX, XX, no. PART 1, 8 July 1999 (1999-07-08), pages 1-35, XP000997330 paragraphs '3.14! - '3.17! -----	1,8-10
A	US 2002/013772 A1 (PEINADO MARCUS) 31 January 2002 (2002-01-31) paragraph '0044! paragraph '0126! -----	1-10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/50728

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1096388	A	02-05-2001	AU 768421 B2	11-12-2003
			AU 2573100 A	04-09-2000
			CA 2328932 A1	24-08-2000
			EP 1096388 A1	02-05-2001
			CN 1300398 T	20-06-2001
			CN 1447252 A	08-10-2003
			WO 0049510 A1	24-08-2000
			JP 2000305846 A	02-11-2000
WO 0167668	A	13-09-2001	BR 0104958 A	13-02-2002
			CA 2373641 A1	13-09-2001
			CN 1393079 T	22-01-2003
			EP 1179240 A1	13-02-2002
			JP 2003526174 T	02-09-2003
			WO 0167668 A1	13-09-2001
			US 2002161571 A1	31-10-2002
EP 1081575	A	07-03-2001	BR 0007049 A	31-07-2001
			CA 2348771 A1	08-03-2001
			CN 1321266 T	07-11-2001
			EP 1081574 A1	07-03-2001
			EP 1081575 A1	07-03-2001
			WO 0116672 A1	08-03-2001
			JP 2001142472 A	25-05-2001
			JP 2001142786 A	25-05-2001
			NO 20012130 A	29-06-2001
US 2002013772	A1	31-01-2002	EP 1271279 A2	02-01-2003
			JP 2003101526 A	04-04-2003
			AU 3007800 A	16-10-2000
			AU 3380900 A	16-10-2000
			AU 3381000 A	16-10-2000
			AU 3503900 A	16-10-2000
			AU 3608100 A	16-10-2000
			AU 3708700 A	16-10-2000
			AU 3710100 A	16-10-2000
			EP 1287636 A2	05-03-2003
			EP 1259863 A2	27-11-2002
			JP 2003522989 T	29-07-2003
			JP 2003536119 T	02-12-2003
			WO 0057684 A2	05-10-2000
			WO 0059150 A2	05-10-2000
			WO 0059151 A2	05-10-2000
			WO 0058859 A2	05-10-2000
			WO 0058810 A2	05-10-2000
			WO 0059152 A2	05-10-2000
			WO 0058811 A2	05-10-2000
			US 2003078853 A1	24-04-2003
			US 2002012432 A1	31-01-2002
			US 2002007456 A1	17-01-2002